

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1345	((convert\$3 or conversion or transl\$3 or transform\$8) near2 (BLOB or binary or proprietary or file or document) near2 (CLOB or text))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 10:58
S2	97	S1 and (database or data?base) and ((record or field or attribute or table or column or entry or database or data?base) near2 (CLOB or text)) and ((search\$7 or query\$3) near3 (text or CLOB))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 10:22
S3	92	S2 and @ad<="20030630"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 11:11
S4	6	S3 and ((BLOB or proprietary or original) near2 (record or attribute or field or entry))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 10:23
S5	11	S3 and ((BLOB or proprietary or original) near2 (record or attribute or field or entry or database or data?base))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 10:23
S6	66	((convert\$3 or conversion or transl\$3 or transform\$8) with (BLOB or ((binary or proprietary) adj1 (file or document)))) with (CLOB or text))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 11:08
S7	17	S6 and (database or data?base) and ((search\$7 or query\$3) near3 (CLOB or text or keyword or key?word))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 11:00
S8	16	S7 and @ad<="20030630"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 11:00
S9	96	((convert\$3 or conversion or transl\$3 or transform\$8) near2 (CLOB or text)) and (database or data?base) and ((record or entry or field or attribute) with ((BLOB or binary or original or proprietary) near2 (file or document or format)))) and ((record or entry or field or attribute) with (CLOB or text))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 11:35

S10	92	S9 and @ad<="20030630"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 11:39
S11	0	((convert\$3 or conversion or translat\$3 or transform\$8) near5 (("to" or "into") adj (CLOB or text or ascii))) and (database or data?base) and ((record or entry or field or attribute) with ((BLOB or binary or original or proprietary) near2 (file or document or format))) and ((record or entry or field or attribute) with (CLOB or text))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 11:37
S12	180	((convert\$3 or conversion or translat\$3 or transform\$8) near4 (CLOB or text or ascii)) and (database or data?base) and ((record or entry or field or attribute) with ((BLOB or binary or original or proprietary) near2 (file or document or format))) and ((record or entry or field or attribute) with (CLOB or text))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 11:38
S13	71	S12 and ((search\$8 or query\$6 or queries) near4 (text or CLOB or ascii))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 11:39
S14	66	S13 and @ad<="20030630"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 12:54
S15	15844	(707/1 707/2 707/3 707/5 707/100 707/102 707/104\$3).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 12:55
S16	105	S15 and ((database or data?base) same ((record or entry or field) with (BLOB or ((binary or original or proprietary or rich or external) near1 (document or file))))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 12:58
S17	35	S16 and ((database or data?base) same ((record or entry or field) with (CLOB or text or ascii)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 12:58
S18	202	S15 and (database or data?base) and ((record or entry or field) near3 (BLOB or binary or proprietary or original)) and ((record or entry or field) near3 (CLOB or text or ascii))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 15:38

S19	121	S18 and ((convert\$7 or conversion or translat\$7 or transform\$7) with (CLOB or text or ascii or format\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 15:39
S20	40	S19 and ((search\$5 or query\$5 or queries) near2 (CLOB or text or ascii))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 15:40
S21	37	S20 and @ad<="20030630"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 15:40
S22	715	(binary or blob) with (convert\$3 or transform\$8 or conversion) with (text or clob)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 12:54
S23	61	S22 and ((search\$3 or query\$3) near2 (text or clob or keyword))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 12:55
S24	17	S23 and (database or data?base) and ((record or entry or attribute) with (binary or blob or text or clob))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 17:12
S25	4	blob same clob same (database or data?base) same (record or entry)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 11:31
S26	252	(blob same (database or data?base or record or entry)) and ((text or clob) with (database or data?base or record or entry))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 11:32
S27	94	S26 and ((convert\$3 or conversion or translat\$4 or transform\$8 or ocr or "optical character recognition") with (binary or image or blob))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 11:35
S28	59	S27 and ((search\$3 or query\$3) with (clob or text or keyword))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 11:37
S29	50	S28 and @ad<="20030630"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 11:37